

/ HK 980

2 x 80W Stereo integrated amplifier



Highlights

- High Current Capability
- Ultrawide bandwidth
- Phono input
- A/B speaker selection
- Heavy-duty binding posts

Superlative two-channel music reproduction is the toughest test of an audio component, and the new Harman Kardon® HK 980 delivers effortlessly. Combining an elegant new look with time-proven engineering, the HK 980's high-current, ultrawide-bandwidth design improves transient accuracy and phase linearity while delivering power that is more than a match for even the most demanding loudspeaker loads. The result is lively, dynamic sound that's a true representation of the original performance.

Key Specifications

- Audio Section – Continuous Average Power (FTC), (stereo mode): 80 watts per channel into 8 ohms @ 20Hz – 20kHz, <0.07% THD, both channels driven; High Instantaneous Current capability (HCC): ±80 amps
- Dimensions (H x W x D) and weight: 116mm x 440mm x 392mm, 12.7kg

Depth measurement includes table stand, knobs, buttons and terminal connections, unless stated otherwise; height measurement includes feet and chassis, unless stated otherwise.

/ HK 980

2 x 80W Stereo integrated amplifier

Features

Power

- 80W x 2 into 8 ohms, 20Hz – 20kHz, at <0.07% THD, with all channels driven simultaneously
- High-current (± 80 amps), ultrawide-bandwidth (10Hz – 100kHz) amplifier design

Connectivity

- Six analog stereo audio inputs
- Two analog recording outputs
- One high-quality phono input for connection of record players with an MM cartridge
- Stereo preamp outputs allow the use of external power amplifiers
- Heavy-duty binding posts allow for the use of speaker cables up to 10mm²
- IR remote extension jacks for control of the amplifier when placed in a cabinet

Ease of Use

- High Current Capability provides the instantaneous current necessary to precisely drive and control nearly any loudspeaker system
- Ultrawide-bandwidth amplifier design for improved transient accuracy and phase linearity
- Low negative feedback for further improved dynamic accuracy
- Use of discrete electronic circuitry to provide the highest performance level
- Sophisticated electronic protection circuitry guards the amplifier from short-circuiting or from damaged speakers and wires, without impairing sound quality, by using of current-limiting or output relays
- Dot-matrix display
- Tape monitor loop for recording
- Remote A/B speaker switching
- Harman Kardon system remote for control of compatible Harman Kardon CD players and tuners

H A Harman International Company

© 2008 Harman International Industries, Incorporated. All rights reserved. Harman Kardon is a trademark of Harman International Industries, Incorporated, registered in the United States and/or other countries. Designed to Entertain is a trademark of Harman International Industries, Incorporated.

Features, specifications and appearance are subject to change without notice.

EAN Code HK 980/230: 0282925063210

Harman Consumer Group, Inc.
8500 Balboa Boulevard, Northridge, CA 91329, USA
www.harmankardon.com

harman/kardon[®]
Designed to Entertain.™